

ශ්‍රී ලංකා ප්‍රජාතාන්ත්‍රික සමාජවාදී ජනරජයේ ගැසට් පත්‍රය
අති විශේෂ

The Gazette of the Democratic Socialist Republic of Sri Lanka
EXTRAORDINARY

අංක 2023/34 - 2017 ජූනි මස 14 වැනි බදාදා - 2017.06.14
No. 2023/34 - WEDNESDAY, JUNE 14, 2017

(Published by Authority)

PART I : SECTION (I) - GENERAL

Government Notifications

L.D. B. 5/83

CONTROL OF PESTICIDES ACT, No. 33 OF 1980

REGULATIONS made by the Minister of Agriculture under section 20 read with section 26 of the Control of Pesticides Act, No. 33 of 1980.

DUMINDA DISSANAYAKE,
Minister of Agriculture.

Colombo,
1st June, 2017.

Regulations

1. These Regulations may be cited as Control of Pesticides Regulations (Time Limits) 01 st of 2017.
2. The time limit between the use of pesticides, specified in Column I of the Schedule hereto on the food crop specified in the corresponding entry in Column II of the Schedule and the harvest of that food crop shall be as specified in the corresponding entry in Column III of the Schedule.
3. Where any such crop contains any residue of a pesticide such residue shall not exceed the level specified in the corresponding entry in Column IV of that Schedule.
4. The regulations published in *Gazette Extraordinary* No. 433/3 of December 24, 1986 are hereby rescinded.



SCHEDULE

| <i>Column I Pesticide</i> | <i>Column II Food crops</i> | <i>Column III Time limit in days</i> | <i>Column IV Maximum Pesticide residue limits Milligram per Kilogram of produce</i> |
|-------------------------------|--|--|---|
| Abamectin | Potato | 14 | 0.01 |
| | Beet Root | 07 | 0.01 |
| | Chilli Pepper | 07 | 0.02 |
| Acephate | Rice | 14 | 1.0 |
| Acetamiprid | Brinjal | 14 | 0.2 |
| | Okra | 14 | 0.2 |
| | Potato | 14 | 0.03 |
| Azoxystrobin | Grapes | 14 | 2.0 |
| | Banana | 14 | 2.0 |
| | Cucurbits including Bitter gourd, Snake gourd & Ridged gourd | 14 | 1.0 |
| Benfuracarb | Rice | 14 | 0.2 |
| <i>Beta</i> -cyfluthrin | Brinjal | 07 | 0.2 |
| Bistrifluron | Crucifers including Cabbage, Radish, Knol-kohl & Cauliflower | 14 | 0.2 |
| Bitertanol | Beans | 14 | 0.2 |
| | Cucumber | 14 | 0.5 |
| | Citrus | 14 | 0.05 |
| | Apple | 14 | 0.6 |
| | Pear | 14 | 0.6 |
| | Strawberry | 14 | 1.0 |
| | Banana | 14 | 0.5 |
| | Tea | 14 | 0.1 |
| Buprofezin | Rice | 14 | 0.05 |
| Captan | Gherkin | 14 | 15.0 |
| | Potato | 14 | 0.05 |
| | Tomato | 14 | 5.0 |
| | Cucumber | 14 | 3.0 |
| | Bellpepper | 14 | 15.0 |
| | Ginger | 14 | 5.0 |
| Carbendazim | Rice | 14 | 2.0 |
| | Banana | 14 | 0.2 |
| | Pomegranate | 14 | 3.0 |
| | Carrot | 14 | 0.2 |
| | Chilli Pepper | 14 | 2.0 |
| | Crucifers including | | |

SCHEDULE (Contd.)

| <i>Column I Pesticide</i> | <i>Column II Food crops</i> | <i>Column III Time limit in days</i> | <i>Column IV Maximum Pesticide residue limits Milligram per Kilogram of produce</i> |
|-------------------------------|---|--|---|
| | Cabbage, Radish, Knol-kohl & Cauliflower | 14 | 0.5 |
| | Cucurbits including Bitter gourd, Snake gourd & Ridged gourd | 14 | 0.5 |
| Carbosulfan | Rice | 14 | 0.2 |
| | Yard long beans | 14 | 0.1 |
| | Chilli Pepper | 14 | 0.5 |
| Chlorfluazuron | Rice | 10 | 2.0 |
| | Beans | 10 | 5.0 |
| | Yard long beans | 10 | 5.0 |
| | Cabbage | 10 | 1.0 |
| | Radish | 10 | 5.0 |
| | Knol-khol | 10 | 5.0 |
| | Cauliflower | 10 | 5.0 |
| | Tomato | 10 | 5.0 |
| | Onion | 10 | 2.0 |
| Chlorantraniliprole | Brinjal | 14 | 0.6 |
| | Bean | 14 | 0.8 |
| | Tomato | 14 | 0.6 |
| Chlorothalonil | Chilli Pepper | 14 | 7.0 |
| | Crucifers including Cabbage, Radish, Knol-kohl & Cauliflower | 14 | 5.0 |
| | Cucumber | 14 | 3.0 |
| | Onion (bulb) | 14 | 0.5 |
| | Bell pepper | 14 | 7.0 |
| | Leeks | 14 | 40.0 |
| | Potato | 14 | 0.2 |
| | Tomato | 14 | 5.0 |
| | Strawberry | 14 | 5.0 |
| | Papaw | 14 | 20.0 |
| | Banana | 14 | 15.0 |
| Deltamethrin | Brinjal | 07 | 0.2 |
| | Onion | 07 | 0.05 |
| Diefenthiuron | Bean | 14 | 0.02 |
| Diazinon | Rice | 14 | 0.1 |
| | Maize | 14 | 0.02 |
| | Sorghum | 14 | 0.02 |
| | Beans | 14 | 0.2 |
| | Onion | 14 | 0.05 |
| | Tea | 14 | 0.1 |

SCHEDULE (Contd.)

| <i>Column I Pesticide</i> | <i>Column II Food crops</i> | <i>Column III Time limit in days</i> | <i>Column IV Maximum Pesticide residue limits Milligram per Kilogram of produce</i> |
|-------------------------------|---------------------------------|--|---|
| Dimethomorph | Potato | 14 | 0.05 |
| | Tomato | 14 | 1.0 |
| Edifenphos | Rice | 14 | 0.02 |
| Enamectin Benzoate | Cabbage | 07 | 0.1 |
| | Radish | 07 | 0.1 |
| | knolkhol | 07 | 0.5 |
| | Cauliflower | 07 | 0.5 |
| | Mustard | 07 | 0.02 |
| | Onion | 07 | 0.5 |
| Etofenprox | Rice | 07 | 0.01 |
| | Maize | 07 | 0.05 |
| Ethiprole | Rice | 14 | 0.2 |
| Fenobucarb | Rice | 14 | 0.5 |
| Fenvalerate | Brinjal | 07 | 0.2 |
| Fipronil | Rice | 14 | 0.02 |
| | Maize | 14 | 0.1 |
| | Capsicum | 14 | 0.02 |
| | Potato | 14 | 0.02 |
| | Tea | 14 | 0.002 |
| Flubendiamide | Bean | 14 | 1.0 |
| Flutolanil | Rice | 14 | 1.0 |
| Flutriafol | Banana | 14 | 0.3 |
| Hexaconazole | Rice | 14 | 0.1 |
| | Beans | 21 | 0.02 |
| | Cabbage | 14 | 0.1 |
| | Tea | 14 | 0.05 |
| Hexythiazox | Rice | 14 | 0.5 |
| Imidacloprid | Chillie Pepper | 14 | 0.3 |
| | Onion | 14 | 0.1 |
| | Mango | 14 | 1.0 |
| | Papaw | 14 | 0.7 |
| Indoxacarb | Cabbage | 14 | 3.0 |
| | Radish | 14 | 0.05 |

SCHEDULE (Contd.)

| <i>Column I Pesticide</i> | <i>Column II Food crops</i> | <i>Column III Time limit in days</i> | <i>Column IV Maximum Pesticide residue limits Milligram per Kilogram of produce</i> |
|-------------------------------|--|--|---|
| | Cauliflower | 14 | 0.2 |
| | Mustard | 14 | 2.0 |
| Isoprothiolane | Rice | 14 | 1.0 |
| Lufenuron | Cabbage | 14 | 0.3 |
| | Radish | 14 | 0.02 |
| | Knolkhol | 14 | 0.2 |
| | Cauliflower | 14 | 0.2 |
| | Chilli Pepper | 14 | 1.0 |
| | Mustard | 14 | 0.02 |
| <i>Lambda-cyhalothrin</i> | Brinjal | 07 | 0.2 |
| Mancozeb | Carrot | 14 | 1.0 |
| | Chilli Pepper | 14 | 2.0 |
| | Bell Pepper | 14 | 1.0 |
| | Cucumber | 14 | 2.0 |
| | Crucifers including Cabbage, Radish, Knol-kohl and Cauliflower | 14 | 5.0 |
| | Cucurbits including Bitter gourd, Snake gourd & Ridged gourd | 14 | 5.0 |
| | Onion | 14 | 0.5 |
| | Leeks | 14 | 0.5 |
| | Potato | 14 | 0.2 |
| | Tomato | 14 | 2.0 |
| | Strawberry | 14 | 5.0 |
| | Papaw | 14 | 5.0 |
| | Banana | 14 | 2.0 |
| | Pomegranate | 14 | 5.0 |
| Metiram | Potato | 14 | 0.2 |
| | Tomato | 14 | 2.0 |
| Novaluron | Beans | 14 | 0.7 |
| | Yard long beans | 14 | 0.7 |
| | Potato | 14 | 0.01 |
| | Tomato | 14 | 0.02 |
| | Sorghum | 14 | 3.0 |
| Pencycuron | Rice | 14 | 0.1 |
| Permethrin | Brinjal | 07 | 1.0 |
| Phenthoate | Rice | 14 | 0.2 |
| | Citrus | 14 | 1.0 |

SCHEDULE (Contd.)

| <i>Column I Pesticide</i> | <i>Column II Food crops</i> | <i>Column III Time limit in days</i> | <i>Column IV Maximum Pesticide residue limits Milligram per Kilogram of produce</i> |
|-------------------------------|--|--|---|
| Phosalone | Chilli pepper | 14 | 2.0 |
| Pirimiphos - methyl | Cereals | 14 | 7.0 |
| Profenophos | Cabbage | 14 | 1.0 |
| | Radish | 14 | 0.05 |
| | Knol-kohl | 14 | 0.01 |
| | Cauliflower | 14 | 0.05 |
| | Chilli Pepper | 14 | 3.0 |
| | Cucurbits including Bitter gourd, Snake gourd & Ridged gourd | 14 | 0.05 |
| | Mustard | 14 | 0.02 |
| | Pineapple | 14 | 0.05 |
| Propamocarb | Potato | 14 | 0.3 |
| | Tomato | 14 | 2.0 |
| | Bell pepper | 14 | 3.0 |
| Propiconazole | Rice | 14 | 0.1 |
| | Beans | 21 | 0.05 |
| | Cabbage | 14 | 0.05 |
| | Banana | 14 | 0.1 |
| | Tea | 14 | 0.1 |
| Propineb | Beans | 14 | 1.0 |
| | Chilli Pepper | 14 | 2.0 |
| | Leeks | 14 | 1.0 |
| | Potato | 14 | 0.2 |
| | Tomato | 14 | 0.1 |
| | Strawberry | 14 | 1.0 |
| Prothiophos | Potato | 21 | 0.05 |
| | Chilli Pepper | 21 | 3.0 |
| Pyraclostrobin | Leeks | 14 | 0.7 |
| | Potato | 14 | 0.02 |
| | Tomato | 14 | 0.3 |
| | Strawberry | 14 | 1.5 |
| Quinalphos | Rice | 14 | 0.2 |
| | Potato | 14 | 0.05 |
| Spinosad | Cabbage | 07 | 2.0 |
| | Radish | 07 | 0.2 |
| | Knolkhol | 07 | 2.0 |
| | Cauliflower | 07 | 2.0 |

SCHEDULE (Contd.)

| <i>Column I Pesticide</i> | <i>Column II Food crops</i> | <i>Column III Time limit in days</i> | <i>Column IV Maximum Pesticide residue limits Milligram per Kilogram of produce</i> |
|-------------------------------|---------------------------------|--|---|
| | Brinjal | 07 | 1.0 |
| | Bean | 07 | 0.3 |
| | Tomato | 07 | 0.3 |
| Tebuconazole | Rice | 21 | 1.5 |
| | Beans | 21 | 0.5 |
| | Cabbage | 21 | 1.0 |
| | Leeks | 21 | 0.7 |
| | Citrus | 21 | 2.0 |
| | Apple | 21 | 1.0 |
| | Pear | 21 | 1.0 |
| | Banana | 21 | 0.05 |
| | Tea | 21 | 0.05 |
| Tebufozide | Rice | 10 | 0.1 |
| | Cabbage | 10 | 5.0 |
| | Radish | 10 | 0.05 |
| | Knol-kohl | 10 | 0.5 |
| | Cauliflower | 10 | 0.5 |
| | Okra | 10 | 0.2 |
| | Mustard | 10 | 0.05 |
| Thiacloprid | Rice | 14 | 0.02 |
| | Potato | 14 | 0.02 |
| | Onion | 14 | 0.02 |
| Thiamethoxam | Rice | 21 | 0.3 |
| | Potato | 14 | 0.3 |
| | Chilli pepper | 14 | 0.7 |
| | Mango | 14 | 0.2 |
| | Papaw | 14 | 0.01 |
| | Beans | 14 | 0.03 |
| | Pulses | 14 | 0.04 |
| Thiophanate-methyl | Rice | 21 | 1.0 |
| | Cucumber | 14 | 0.5 |
| | Bell Pepper | 14 | 2.0 |
| | Banana | 14 | 5.0 |
| | Pomegranate | 14 | 1.0 |
| Thiocyclam hydrogen oxalate | Rice | 14 | 0.2 |
| Thiodicarb | Beans | 14 | 0.05 |
| | Yard long beans | 14 | 0.02 |
| | Chilli Pepper | 14 | 0.02 |
| | Maize | 14 | 0.02 |

SCHEDULE (Contd.)

| <i>Column I Pesticide</i> | <i>Column II Food crops</i> | <i>Column III Time limit in days</i> | <i>Column IV Maximum Pesticide residue limits Milligram per Kilogram of produce</i> |
|-------------------------------|--|--|---|
| Thiram | Chilli Pepper | 14 | 1.0 |
| | Crucifers including Cabbage, Radish, Knol-kohl and Cauliflower | 14 | 5.0 |
| | Cucurbits including Bitter gourd, Snake gourd & Ridged gourd | 14 | 2.0 |
| | Onion (bulb) | 14 | 0.5 |
| | Onion (spring) | 14 | 10.0 |
| | Potato | 14 | 0.2 |
| | Tomato | 14 | 2.0 |
| | Bell Pepper | 14 | 1.0 |

06-1025